

MATERIAL SAFETY DATA SHEET

SECTION I: IDENTIFICATION OF PRODUCT

COMPANY: **Diversity Technologies Corp.** DATE: **December 1, 2009**
8750 – 53rd Ave. PHONE: 780-468-4064
Edmonton, AB T6E 5G2 FAX: 780-469-1899

PRODUCT NAME: **Sooner Seal, Polyflake 3/8 Cut**

PRODUCT USE: Lost circulation material
CHEMICAL FAMILY: Polyester CAS #: Not available

WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (WHMIS)

WHMIS CLASSIFICATION: Not a controlled product under WHMIS.
WORKPLACE HAZARD: Treat as a nuisance dust.

TRANSPORTATION OF DANGEROUS GOODS (TDG)

PROPER SHIPPING NAME: Not regulated under TDG
TDG CLASSIFICATION: Not applicable
UN NUMBER (PIN): Not applicable
PACKING GROUP: Not applicable

SECTION II: HAZARDOUS INGREDIENTS

<u>INGREDIENT</u>	<u>% (w/w)</u>	<u>CAS NUMBER</u>	<u>LD₅₀ Oral-Rat</u>	<u>LC₅₀ Inhal-Rat</u>	<u>ACGIH-TLV</u>
-------------------	----------------	-------------------	---------------------------------	----------------------------------	------------------

Contains no WHMIS controlled ingredients.

SECTION III: HEALTH HAZARDS

ROUTE OF ENTRY: EYE CONTACT SKIN INHALATION INGESTION
EYE CONTACT: May cause mechanical irritation.
SKIN CONTACT: Non-irritating.
INGESTION: No toxic effects expected
INHALATION: Not an expected route of exposure under normal conditions of use.
CARCINOGENICITY: No information available.
TERATOGENICITY: No information available.
REPRODUCTIVE TOXICITY: No information available.
MUTAGENICITY: No information available.

SYNERGISTIC PRODUCTS: No information available.

SECTION IV: FIRST AID MEASURES

SKIN CONTACT: No first aid measures required
EYE CONTACT: Flush with gently flowing warm water until particles are dislodged. If irritation persists, obtain medical attention.
INGESTION: Not toxic. If symptoms develop, obtain medical attention.
INHALATION: If symptoms develop, move victim to fresh air. Apply oxygen or artificial respiration if required. If breathing difficulties or distress continues obtain medical attention.

SECTION V: PHYSICAL DATA

APPEARANCE AND ODOUR: Clear film or pellets; odourless
SPECIFIC GRAVITY: Not available
BOILING POINT (°C): Not available
MELTING POINT (°C): Not available
SOLUBILITY IN WATER: Insoluble pH: Not applicable
PERCENT VOLATILE BY VOLUME: Not available
EVAPORATION RATE: Not available
VAPOUR PRESSURE (mmHg): Not available
VAPOUR DENSITY (air = 1): Not available
BULK DENSITY:

SECTION VI: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: Not applicable
FLAMMABLE LIMITS: Not applicable
EXTINGUISHING MEDIA: Water, foam, dry chemical, CO₂.
SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus required for fire fighting personnel. Move containers from fire area, or cool with water spray, if possible.
UNUSUAL FIRE AND EXPLOSION HAZARDS: Material will burn. Avoid spraying water directly on molten material to prevent splashing and spread of fire.

SECTION VII: REACTIVITY DATA

STABILITY:	STABLE [XX]	UNSTABLE []
INCOMPATIBILITY (CONDITIONS TO AVOID):	Avoid heat, open flames and other sources of ignition.	
CONDITIONS OF REACTIVITY:	None known.	
HAZARDOUS DECOMPOSITION PRODUCTS:	Oxides of carbon and HCl.	
HAZARDOUS POLYMERIZATION:	WILL NOT OCCUR [XX]	MAY OCCUR []

SECTION VIII: PREVENTATIVE MEASURES**SPECIAL PROTECTION INFORMATION**

RESPIRATORY PROTECTION:	None required under normal conditions of use.
VENTILATION:	None required under normal conditions of use. If dusting conditions occur, use local exhaust ventilation to maintain TLV's.
PROTECTIVE GLOVES:	None required.
EYE PROTECTION:	Safety glasses with side-shields suggested.
OTHER PROTECTIVE EQUIPMENT (Specify):	Protective clothing and footwear should be worn. Ensure that safety shower and eyewash station are available.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Avoid ingestion. Practice reasonable caution and personal cleanliness. Avoid skin and eye contact. Store in cool dry area away from heat and sources of ignition. If heated during use take precautions to avoid contact and inhalation of vapours.

STEPS TO BE TAKEN IN CASE THE MATERIAL IS SPILLED OR RELEASED

Use appropriate safety equipment. Eliminate ignition sources. Spillage should be swept-up or vacuumed immediately to prevent a slip hazard. Collect uncontaminated material for repackaging. Collect contaminated material in approved containers for disposal. Prevent material from entering storm sewers and public waterways.

WASTE DISPOSAL METHOD

Dispose in accordance with federal, provincial, and local regulations. This product can be landfilled in many areas; check with local operator. It is the responsibility of the end-user to determine if material meets the criteria of hazardous waste at the time of disposal.

SECTION IX: PREPARATION

THE INFORMATION CONTAINED HEREIN IS GIVEN IN GOOD FAITH,
BUT NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE.

DATE ISSUED: December 1, 2009

BY: Product safety committee

SUPERSEDES: December 5, 2006

PHONE: 780-440-4923

**Diversity Technologies Corp. is the parent company of
Canamara-United Supply, Hollimex Products, The Drilling Depot and
Westcoast Drilling Supplies.**